

Top parenting New Year's resolutions 2018



A lot of life's issues boil down to the essentials...eat, sleep, drink, pee, poop, love and learn... for your child and yourself.

We are here to help you to carry out your parenting New Year's resolutions in all of these areas.

1- **Eat** Resolve to help your picky eater become less picky. Become more patient and creative in helping your children eat new foods.

2- **Sleep** Resolve to fix your child's sleep problems. Help create a reasonable bedtime routine for your baby and end night time awakenings, and help your tired teen get better sleep.

3- **Drink** This year resolve to wean your toddler from the bottle/breast to a cup.

3- **Pee** Resolve to help your child avoid urine accidents and gain a better understanding of bed-wetting.

4- **Poop** For parents of newborns: resolve to help your gassy baby. For parents of toddlers: resolve to end the battle of the potty and encourage your child to potty train in a peaceful, non punitive and non-controlling way. Help solve your child's tendency to hold onto poop, which leads to constipation.

5- **Love and Learn** to understand your child's developmental abilities in order to discipline appropriately and have reasonable expectations. Learn how and when to use "time out." For your teen, learn how to talk with them. Help your child learn to "go it alone," and calm test/school work anxiety.

As for us, we resolve to continue to be your source of dependable pediatric advice. We resolve to keep current with pediatric advances, remain honest, and treat your family with respect and care as we help you grow your children into confident, independent adults.

Wishing you health and peace in the New Year,
Drs. Kardos and Lai

©2018 Two Peds in a Pod®

Non electronic last minute gift ideas



Still looking for that gift that does not involve screen time? We're reposting our back-to-basics gift ideas post:

0-3 months: Babies this age have perfect hearing and enjoy looking at faces and objects with contrasting colors. Music, mobiles, and bright posters are some age appropriate gift ideas. Infants self-soothe themselves through sucking- if you can figure out what your nephew's favorite type of binkie is, wrap up a bunch-they are expensive and often mysteriously disappear.

3-6 months: Babies start to reach and grab at objects. They enjoy things big enough to hold onto and safe enough to put in their mouths- try bright colored teething rings and large plastic "keys." We often see Sophie the Giraffe accompanying babies for their office visits. New cloth and vinyl books will likewise be appreciated; gnawed books don't make great hand-

me-downs.

6-12 months: Around six months, babies begin to sit up. Intellectually, they begin to understand “cause and effect.” Good choices of gifts include toys with large buttons that make things happen with light pressure. Toys which make sounds, play music, or cause Elmo to pop up will be a hit. For a nine-month-old just starting to pull herself up to a standing position, a water or sand table will provide hours of entertainment in the upcoming year. Right now you can bring winter inside if you fill the water table with a mound of snow. Buy some inexpensive measuring cups and later in the summer a toddler will enjoy standing outside splashing in the water.

12-18 months: This is the age kids learn to stand and walk. They enjoy things they can push while walking such as shopping carts or plastic lawn mowers. Include gifts which promote joint attention. Joint attention is the kind of attention a child shares with people during moments of mutual discovery. Joint attention starts at two months of age when a parent smiles at their baby and their baby smiles back. Later, around 18 months, if a parent points at a dog in a book, she will look at the dog then look back at the parent and smile. A child not only shows interest in the same object, but will acknowledge that both she and the parent are interested. Joint attention is thought to be important for social and emotional growth.

18-24 months: Although kids this age cannot pedal yet, they enjoy riding on toys such as “big wheels” “Fred Flintstone” style. Dexterous enough to drink out of a cup and use a spoon and fork, toddlers can always use another place setting. Toddlers are also able to manipulate shape sorters and toys where they put a plastic ball into the top and the ball goes down a short maze/slide. They also love containers to collect things, dump out, then collect again.

Yes, older toddlers are also dexterous enough to swipe an ipad, but be aware, electronics can be a double edged sword– the same device which plays karaoke music for your daddy-toddler sing-along can be

transformed into a substitute parent. The other day, a toddler was frightened of my stethoscope in the office. Instead of smiling and demonstrating to her toddler how a stethoscope does not hurt, the mother repeatedly tried to give her toddler her phone and told the child to watch a video. Fast forward a few years, and the mother will wonder why her kid fixates on her phone and does not look up at the family at the dinner table. Don't train an addiction. A device can be entertainment, learning, and communication but it is NOT a source of comfort.

2-3 years: To encourage motor skills, offer tricycles, balls, bubbles, and boxes to crawl into and out of. Choose crayons over markers because crayons require a child to exert pressure and therefore develop hand strength. Dolls, cars, and sand boxes all foster imagination. Don't forget those indestructible board books so kids can "read" to themselves. By now, the plastic squirting fish bath toys you bought your nephew when he was one are probably squirting out black specks of mold instead of water- get him a new set. Looking ahead, in the spring a three- year-old may start participating in team sports (although they often go the wrong way down the field) or in other classes such as dance or swimming lessons. Give your relatives the gift of a shin guards and soccer ball with a shirt. Offer to pay for swim lessons and package a gift certificate with a pair of goggles.

3-4 years: Now kids engage in elaborate imaginary play. They enjoy "dress up" clothes to create characters- super heroes, dancers, wizards, princesses, kings, queens, animals. Kids also enjoy props for their pretend play, such as plastic kitchen gadgets, magic wands, and building blocks. They become adept at pedaling tricycles or even riding small training-wheeled bikes. Other gift ideas include crayons, paint, markers, Play-doh®, or side-walk chalk. Children this age understand rules and turn-taking and can be taught simple card games such as "go fish," "war," and "matching." Three-year-olds recognize colors but can't read- so they can finally play the classic board game *Candyland*, and they can rote count in order to play the sequential numbers game *Chutes and Ladders*. Preschool kids now understand and execute the process of washing their hands independently... one problem... they can't reach the faucets on the sink. A personalized, sturdy step

stool will be appreciated for years.

5-year-olds: Since 5-year-olds can hop on one foot, games like Twister® will be fun. Kids this age start to understand time. In our world of digital clocks, get your nephew an analog clock with numbers and a minute hand... they are hard to come by. Five-year-olds also begin to understand charts— a calendar will also cause delight. They can also work jigsaw puzzles with somewhat large pieces.

8-year-olds: Kids at this point should be able to perform self help skills such as teeth brushing. Help them out with stocking stuffers such as toothbrushes with timers. They also start to understand the value of money so kids will appreciate gifts such as a real wallet or piggy bank. Eight-year-olds engage in rough and tumble play and can play outdoor games with rules. Think balls, balls, balls- soccer balls, kickballs, baseballs, tennis balls, footballs. Basic sports equipment of any sort will be a hit. Label makers will also appeal to this age group since they start to have a greater sense of ownership.

10-year-olds: Fine motor skills are quite developed and intricate arts and crafts such as weaving kits can be manipulated. Give a “cake making set” (no, not the plastic oven with a light bulb) with tubes of frosting and cake mix to bake over the winter break. Kids at this age love doodling on the long rolls of paper on our exam table. Get a kid a few rolls of banner paper to duplicate the fun. Buy two plastic recorders, one for an adult and one for a child, to play duets. The instrument is simple enough for ten-year-olds or forty-year-olds to learn on their own. Ten-year-olds value organization in their world and want to be more independent. Therefore, a watch makes a good gift at this age. And don’t forget about books: reading skills are more advanced at this age. They can read chapter books or books about subjects of interest to them. In particular, kids at this age love a good joke or riddle book.

Tweens: Your child now has a longer attention span (30-40 minutes) so building projects such as K’nex models will be of interest to her. She can now also understand directions for performing magic tricks or making animal balloons. This is a time when group identity becomes more important. Sleepovers and scouting trips are common at this age

so sleeping bags and camping tents make great gifts. Tweens value their privacy – consider a present of a journal with a lock or a doorbell for her room. It's already time to think about summer camps. Maybe you can convince the grandparents to purchase a week for your child at robotics camp or gymnastics camp this year.

Teens: If you look at factors which build a teen into a resilient adult, you will see that adult involvement in a child's life is important. We know parents who jokingly say they renamed their teens "Door 1" and "Door 2," since they spend more time talking to their kids' bedroom doors than their kids. Create opportunities for one-on-one interaction by giving gifts such as a day of shopping with her aunt, tickets to a show with her uncle, or two hours at the rock climbing gym with dad.

Encourage physical activity. Sports equipment is always pricey for a teen to purchase- give the fancy sports bag he's been eying or give a gym membership. Cool techy trackers like Fitbit will always be appreciated or treat your teen to moisture wicking work-out clothes.

Sleep! Who doesn't need it, and [teens often short change themselves on sleep and fall into poor sleep habits](#). Help a teen enjoy a comfortable night of rest and buy luxurious high thread count pillow cases, foam memory pillows, or even a new mattress. After all, it been nearly 20 years since you bought your teen a mattress and he probably wasn't old enough at the time to tell you if he was comfortable. Since a teen often goes to bed later than you do, a remote light control will be appreciated by all.


Adolescence is the age of abstract thinking and self awareness– Google "wall decals" and find a plethora of inexpensive ways to jazz up his or her room with inspiring quotes.

Enjoy your holiday shopping.

Naline Lai, MD and Julie Kardos, MD

©2018 Two Peds in a Pod®

Graduating from Cribtime to Bedtime—how to transition your toddler into a bed



A family asked, "My toddler figured out how to climb out of the crib! How do I transition him into a bed?"

Some kids never climb out of their cribs, but sometimes families need the crib for a new sibling. If this is the case, consider if you really need the crib right away. Using a

bassinet for the new baby allows the big brother/sister to get used to having a baby around. Many older siblings regress after the birth of a sibling and it can be useful to keep the older one in a crib for just a little bit longer, then use the new bed as a reward for “helping” or as a token of increased status.

The scariest part of putting your child into a bed is that your child now has access to his bedroom. So if your child is NOT yet climbing out of the crib, do not rush to transition him out. You first need to childproof the bedroom. Crawl on your hands and knees to see what you can reach. See our post on childproofing. For his safety, gate him into his room or keep the door closed. You may also need to gate the steps or gate a hallway to prevent him from wandering into more dangerous rooms, such as the kitchen, in the middle of the night. We know one family who found their child crawling around on the kitchen counters one morning. Know that open or closed bedroom doors likely do not impact potential fire safety. It is far more important make sure your smoke detectors work.

If you have no reason to break down the crib and your child goes to sleep easily in it, there is no harm in keeping him in his crib. However, once a child is able to climb out, a child is able to fall out. So...time to get out. For many toddlers, the ability to throw a leg over the side of the crib occurs around two years of age or when the toddler reaches three feet tall. If your child is potty trained at this point, he will have easier access to the bathroom at night if he is in a bed rather than a crib, so that is another reason to move to a bed. On the other hand, many kids who are fully potty trained during the day continue to wet the bed for years, so don't wait for dry overnight diapers to put your child into a bed. Just protect the bed mattress with a water-proof liner until your child masters night time dryness.

How to start the transition? You can talk up sleeping in a big

boy/big girl bed “just like Mommy and Daddy.” Let your toddler pick out sheets or buy him ones you know he will love. For example, choose sheets in a favorite color, or with favorite characters. Supply a pillow and blanket, but if he is used to a crib without bedding, expect the blanket or pillow to end up off the bed. You might want to continue warm pajamas until a blanket stays on. Sometimes kids want a small “kid’s sized” blanket, but sometimes a larger blanket is more apt to stay on the bed.

While kids are often excited by their new bed, remember that toddlers are creatures of habit. Their excitement might lead them to nap enthusiastically in the bed but then they may want their crib at night. Or they might fight their naps now—remember that many children give up napping between the ages of 2-5 years. If space allows, consider leaving the crib set up for the first week of sleeping in the new bed, then break down the crib once you have several successful naps and overnights in the bed.

Some kids may invite a “friend” or two into his bed: stuffed animals, pacifier, or in the case of one of Dr. Kardos’s kids, a soft Philadelphia Eagles football. Many kids fall asleep with toy cars clutched in their hands. If these friends help your child sleep better, then allow the slumber party.

Falling out of bed is common. For his first week in a bed, Dr. Kardos’s first son was always found sleeping peacefully in the middle of his room on the carpet after they tucked him into his bed for the night. You can place a carpet or pillow next to the bed so when the inevitable falling overboard occurs, your child has a softer landing.

You could shorten the distance to the ground by placing a mattress, or a mattress plus the box spring, directly on the floor. Then when your child has gone for a few weeks without falling off the mattress, “build up the bed” onto the standard bedframe.

Alternatively, your child can sleep in a bed with side rails. Note that portable side rails are made for use only on adult beds, NOT for toddler beds or bunk beds. Guidelines for preventing injury from side rails are found [here](#). Rails are designed for children aged two to five years who are capable of getting in and out of an adult bed by themselves. According to safety guidelines published by Consumer Reports in 2010, “Be sure they (the rails) fit tightly with no gaps between the mattress and the rail, so that your child can’t get stuck. Leave at least 9 inches between the bed rail and the footboard and headboard of the bed.” The wall is not a bed rail substitute because a child can get trapped between the wall and the mattress.

Decide if you will teach your child to call out to you or to teach him to come into your bedroom if he needs you in the middle of the night. For everyone’s safety, be sure no clothes or clutter between his bed and yours can cause tripping in the dark. A night light in the bathroom helps as well.


As for the beginning of the night, if your child pops out of bed immediately after tucking him in, it’s not too late to teach him how to self-calm and fall asleep in his own bed. This teaching might involve repeated walking him back to bed in a caring manner with minimal conversation besides: “I love you, good night.”

Now your child’s bedtime story will really include a bed! (For instance [click here](#))

Julie Kardos, MD and Naline Lai, MD

©2017 Two Peds in a Pod

Guide to traveling with young children for the holidays



*In spite of the long TSA lines, rental car challenges and all the howling,
the wolf family made sure they got to grandmother's house every year.*

Y
o
u
d
o
n
,
t
a
p
p
r
e
c
i
a
t
e
h

ow much your baby has grown until you attempt a diaper change on a plane. For families, any holiday can become stressful when traveling with young children is involved. Often families travel great distances to be together and attend parties that run later than their children's usual bedtimes. Fancy food and fancy dress are common. Well-meaning relatives who see your children once a year can be too quick to hug and kiss, sending even not-so-shy kids running. Here are some tips for safer and smoother holiday travel:

If you are flying, refrain from offering Benadryl (diphenhydramine) as a way of "insuring" sleep during a flight. Kids can have paradoxical reactions and become hyper

instead of sleepy, and even if they do become sleepy, the added stimulation of flying can combine to produce an ornery, sleepy, tantrum-prone kid. Usually the drone of the plane is enough to sooth kids into slumber.

Know also that **not all kids develop ear pain on planes as they descend**- some sleep right through landing. However, if needed you can offer pacifiers, bottles, drinks, or healthy snacks during take-off and landing because swallowing may help prevent pressure buildup and thus discomfort in the ears. And yes, it is okay to fly with an ear infection.

Before you travel, identify the nearest children's hospital, urgent care center, or pediatrician who is willing to see out-of-town new patients, so that if your child becomes ill enough to need medical care while you are away from home, you will already know where to go.

Traveling 400 miles away from home to spend a few days with close family and/or friends is not the time to solve your child's chronic problems. Let's say you have a child who is a poor sleeper and climbs into your bed every night at home. Knowing that even the best of sleepers often have difficulty sleeping in a new environment, just take your "bad sleeper" into your bed at bedtime and avoid your usual home routine of waking up every hour to walk her back into her room. Similarly, if you have a picky eater, pack her favorite portable meal as a backup for fancy dinners. One exception about problem solving to consider is when you are trying to say bye-bye to the binkie or pacifier.

Supervise your child's eating and do not allow your child to overeat while you catch up with a distant relative or friend. Ginger-bread house vomit is DISGUSTING, as Dr. Kardos found out first-hand when one of her children ate too much of the beautiful and generously-sized ginger bread house for dessert.

Speaking of food, **a good idea is to give your children a**

wholesome, healthy meal at home, or at your “home base,” before going to a holiday party that will be filled with food that will be foreign to your children. Hunger fuels tantrums so make sure his appetite needs are met. Then, you also won't feel guilty letting him eat sweets at a party because he already ate healthy foods earlier in the day.

If you have a young baby, **take care to avoid losing control of your ability to protect your baby from germs.** Well-meaning family members love passing infants from person to person, smothering them with kisses along the way. Unfortunately, nose-to-nose kisses may spread cold and flu viruses along with holiday cheer.

On the flip side, there are some family events, such as having your 95-year-old great-grandfather meet your baby for the first time, that are once-in-a-lifetime. **So while you should be cautious on behalf of your child, ultimately, heed your heart.** At six weeks old, Dr. Lai's baby traveled several hours to see her grandfather in a hospital after he had a heart attack. Dr. Lai likes to think it made her father-in-law's recovery go more smoothly.

If you have a shy child, try to **arrive early** to the family gathering. This avoids the situation of walking into a house full of unfamiliar relatives or friends who can overwhelm him with their enthusiasm. Together, you and your shy child can explore the house, locate the toys, find the bathrooms, and become familiar with the party hosts. Then your child can become a greeter, or can simply play alone first before you introduce him to guests as they arrive. If possible, spend time in the days before the gathering sharing family photos and stories to familiarize your child with relatives or friends he may not see often.

Sometimes you have to remember that **once you have children, their needs come before yours.** Although you eagerly anticipated a holiday reunion, your child may be too young to

appreciate it for more than a couple of hours . An ill, overtired child makes everyone miserable. If your child has an illness, is tired, won't use the unfamiliar bathroom, has eaten too many cookies and has a belly ache, or is in general crying, clingy, and miserable despite your best efforts, just leave the party. You can console yourself that when your child is older his actions at that gathering will be the impetus for family legends, or at least will make for a funny story.

Enjoy your CHILD's perspective of holidays: enjoy his pride in learning new customs, his enthusiasm for opening gifts, his joy in playing with cousins he seldom sees, his excitement in reading holiday books, and his happiness as he spends extra time with you, his parents.

We wish you all the best this holiday season!

Julie Kardos, MD and Naline Lai, MD

©2017 Two Peds in a Pod®

Updated from our 2009, 2014, and 2015 articles on these topics

Flu vaccine myth busters



Ben's runny nose, as depicted by Ben

The good news is that there was only a smattering of influenza (flu) cases across the United States over the summer. The great news is that according to the Centers for Disease Control, most of the detected strains are covered in this year's vaccine.

If you're still hesitant to vaccinate your family, let's talk frankly about some myths we sometimes hear about flu vaccines:

If my friend's child has flu symptoms, I'll just avoid their house to avoid catching the flu

False. According to the CDC , you are infectious the day before symptoms show up. So it is TOO LATE to avoid only those already sick.

My family never gets the flu so it's not necessary to get the vaccine.

False and dangerous. Saying "My child and I have never had the flu so we don't need the flu vaccine" is like saying, "I've never a car accident so I won't wear my seat belt."

I got the flu shot last year and then I got sick. So the flu shot must have made me sick.

Our condolences. True, you were sick. **But this statement is False,** because the illness was not caused by the flu vaccine.

Vaccines are not real germs, so you can't "get" a disease from the vaccine. But to your body, vaccine proteins appear very similar to real germs and your immune system will respond by making protection against the fake vaccine germ. When the real germ comes along, pow, your body already has the protection to fend off the real disease.

It is important to realize that the vaccine takes about 2 weeks to take effect in your body. So, if you were unlucky enough to be exposed to someone with the flu and then got the vaccine the next day, you still have a good chance of coming down with the flu. Unfortunately, the vaccine will not have had a chance to work yet.

Please know, however, there is a chance that for a couple days after a vaccine, you will ache and have a mild fever. The reason? Your immune system is simply revving up. But no, the flu vaccine does not give you the flu.

No one dies from the flu anymore, do they? Flu is just not that dangerous, so my child does not need a flu shot. I will just take my chances with flu.

False! A total of 107 influenza-associated pediatric deaths were reported for the 2016-2017 season. In past seasons up to 90% of children who died from flu did not receive a flu vaccine. So please, vaccinate yourself and your children.

The vaccine coverage is awful.

Not the case this year. On the other hand, even if coverage was spotty, look at it this way— if half of the flu out there was covered, that's a lot fewer people that won't give your kid the flu.

Naline Lai, MD and Julie Kardos, MD

©2017 Two Peds in a Pod®

Got little kids? One must-have number to put in your phone: Poison Control



The number to put in your phone when you have little ones? Poison Control: **1-800-222-1222**. Text "POISON" TO 797979 to save the contact information in your smartphone.

Did your toddler eat dog poop? Or a berry from your backyard bush? Did you give the wrong medication to your child? **Call Poison Control.**

Experts at Poison Control will direct your next step. They

have access to extensive data on poisoning, and they can give you that information much quicker than a drug-manufacturer or pharmacist or even your own doctor. **The call is free.**

One of Dr. Lai's kids ate a mushroom from the yard when she was 20 months old—she called Poison Control. A mom asked Dr. Lai about carbon monoxide exposure—she called Poison Control. If doctors have a question about any ingestion or poisoning—we call Poison Control. But don't wait for us to call, go ahead yourself and call.

People often jump first to the internet for information. However, a small 2013 study found that the internet is NOT the best place to research questions about toxins. Many sites fail to direct readers to the Poison Control Center, and those who do, fail to supply the proper phone number – again, that's **1-800-222-1222**. If you do want to use the internet, use www.PoisonHelp.org which is a product of the American Association of Poison Control Centers

If your child needs emergent treatment, surfing the internet for what to do next wastes precious time. Don't reach for your phone to "google it." In the case of a possible poisoning, reach for your phone and make a CALL.

It could be life-saving.

Julie Kardos, MD and Naline Lai, MD

© 2017 Two Peds in a Pod® modified from 2014

Pediatric tidbits-probiotics,

sport burnout and more



In front of “The Bean” in Chicago

We’re back from the American Academy of Pediatrics National Conference and Exhibition in Chicago—sharing with you some tidbits from the forefront of pediatrics:

New high blood pressure guidelines are here. Starting at age 3 years, children should have their blood pressure checked annually, more often if they have certain medical conditions such as diabetes or kidney disease. The cutoff for “high blood pressure” has been lowered so more and more, you may notice your pediatrician scrutinizing your child’s blood pressure.

We’ve noticed many more over-use injuries from kids who play the same sport year round. We were reminded that most

professional athletes played multiple sports in high school and some even up through college. Specialization in a particular sport leads to more injuries, burnout, depression, and anxiety. If you feel that sports rule your child's life, remember this good rule of thumb: for high school kids, keep training under 16 hours a week. For the younger kids, keep the total number of hours per week playing organized sports under an hour per week for each year of age. For example, an 8 year old should spend no more than 8 hours per week playing organized sports.

Probiotics are ubiquitous these days, but are they helpful? In viral diarrhea, probiotics can be mildly helpful, and may shorten the duration of diarrhea by about a day. Probiotic therapy is showing promise for treating colic, but not for treating eczema. For more information see the International Scientific Association of Probiotics and Prebiotics.

If your child scalds himself, put the burn under COLD running tap water for *20 minutes* to stop further injury. This treatment is effective for up to 3 hours after a burn.

A cautionary word about herbs: Know that herbs are not regulated by the FDA (Food and Drug Administration). Companies that supply herbs are under no obligation to show that the product works. Additionally, the company that sells the herb does not have to show that the herb is safe or effective, and cannot claim that the product can cure or prevent anything. Additionally there are no manufacturing standards to adhere to, which means you do not know how much herb or for that matter, any other contaminants, are in the herbs that you buy.

Julie Kardos, MD and Naline Lai, MD

©2017 Two Peds in a Pod®

What's new with the flu vaccine 2017-2018



"What? The flu vaccine again? We JUST got it," our kids groaned when we told them it was time to get their flu vaccines. In fact, they "just got it" a year ago, which we

pointed out to them. Read on to see updates on this year's flu vaccine and why it should be on your child's back to school to do list.

This year's flu vaccine is slightly different from last year's— it's been changed to cover a different strain of circulating H1N1 influenza. Several flu vaccines have been FDA approved for this year's flu season and all of them will give similar protection for your child. Make sure your child receives a flu shot and NOT the FluMist/spray-in-the-nose kind of vaccine. Unfortunately for those who are needle phobic, the FluMist has not been shown to be effective and therefore, while still licensed, is NOT recommended for use this year.

The flu vaccine is recommended for **all kids six months of age and older**, with very few exceptions. Even pregnant moms safely can receive the flu vaccine.

Too early for flu vaccine? Nope! Older adults might lose some immunity if vaccinated "too soon" in the season, but this observation is not born out in kids. The threat of incomplete or forgotten vaccine outweighs theoretical risk of delaying flu vaccine (even for older adults), so best to get it now.

In case you forgot, the flu is a week of misery, consisting of high fevers, cough and other respiratory symptoms, body aches, and headaches. Younger kids are prone to some diarrhea or vomiting or both along with these bad cold symptoms. The flu can cause dehydration and pneumonia, and sometimes death, even in previously healthy kids. Simply limiting your child's exposure to people showing flu symptoms is not an effective way of preventing illness because people are the most contagious right before they show any symptoms.

Booster dose As in previous years, children under nine years of age need a booster dose the first year they receive the vaccine. If your young child should have received a booster dose last year, but missed it, they will receive two doses of

this year's vaccine spaced one month apart (the primary dose plus a booster dose).

This prior post teaches you how to tell if your kid has flu vs "just" a cold. We invite you to read more about this year's flu vaccine on the Centers for Disease Control website [here](#).

Julie Kardos, MD and Naline Lai MD

©2017 Two Peds in a Pod®

First day of kindergarten-a letter to your child



Whether your child is about to start kindergarten or college, we invite you to read Dr. Lai's letter she wrote to her first born the night before she started kindergarten. Spoiler: You might want to grab a tissue.

My Child,

As we sit, the night before kindergarten, your toes peeking out from under the comforter, I notice that your toes are not so little anymore.

Tomorrow those toes will step up onto to the bus and carry you away from me. Another step towards independence. Another step

to a place where I can protect you less. But I do notice that those toes have feet and legs which are getting stronger. You're not as wobbly as you used to be. Each time you take a step you seem to go farther and farther.

I trust that you will remember what I've taught you. Look both ways before you cross the street, chose friends who are nice to you, and whatever happens don't eat yellow snow. I also trust that there are other eyes and hearts who will watch and guide you.

But that won't stop me from worrying about each step you take.

Won't stop me from holding my breath.

Just like when you first started to walk, I'll always worry when you falter.

I smile because I know you'll hop up onto the bus tomorrow, proud as punch, laughing and disappearing in a sea of waving hands. I just hope that at some point, those independent feet will proudly walk back and stand beside me. Maybe it will be when you first gaze into your newborn's eyes, or maybe it will be when your child climbs onto the bus for the first time.

Until then, I hold my breath each time you take a step.

Love,
Mommy

Naline Lai, MD

©2017 Two Peds in a Pod®, reposted from original 2009

The best allergy medicine for kids aged 2-5 years old



one way to beat allergies

The stereotype of the runny nosed preschooler is not so far fetched. But is it allergies or a cold? The difference between allergies caused by environmental irritants and colds caused by viruses can be tough to sort out in this age group. After all, germs spread like wildfire through the preschool crowd who tends to touch everything and everyone. The little ones are still sucking thumbs and rubbing eyes but aren't so skilled at hand washing. At the same time, environmental allergies affect this age group just as much as in our older kids.

Your pediatrician can help sort out if your child suffers from back-to-back cold viruses or from allergies, although it isn't always straightforward. One hint is in genetics. After all,

the apple does not fall far from the tree. If one biological parent has allergies, a child has about a forty to fifty percent chance of having allergies. If both parents do, then the kid is doomed to about an eighty percent chance of allergies. Also, if one parent complains loudly that their nose is runny from allergies and your child's nose starts to run, then it's allergies. If your child has other signs such as a seasonal itchy face, a perpetual runny nose, or a dry sounding cough, your child's doctor might recommend a trial of allergy medicine.

There are a few reasons that pediatricians often choose trial of allergy medicine without allergy testing.

1. Allergy testing involves either a blood draw or "skin testing" which is basically "skin pricking." As you are likely well aware, kids this age are almost uniformly needle-phobic. Also, specifically testing for potential allergic triggers in the environment can be tricky. After all, we can't test for every flower or tree.

Testing may be useful when there is something specific that can be eliminated in order to control symptoms. For example, if the new family cat is the trigger, then the cat can be kept out of the child's bedroom, or in extreme cases parents may need to find a new home for the pet. In general, we caution about testing for sensitivity to family members such as dogs or cats.

2. If we decide that a child is allergic to trees, grass, pollen, or dust, things that kids cannot easily avoid, then, the mainstay of treatment is to periodically treat allergy symptoms with medicine. So if the end result is that the child will take allergy medicine, then one approach is to try the medicine, and if the child's symptoms resolve, we have confirmed allergies.

So which allergy medicine to start? Here are some options:

Diphenhydramine (brand name eg. Benadryl, Banofen): This safe allergy medicine has been around for many years, and for this age, comes as a liquid, chewable tablet, and a melt-on-your-tongue form. The dose for kids younger than 6 years is based on your child's weight, so you can check the correct dose with your pediatrician. The main side effect is sleepiness, so if symptoms are worse overnight, this medicine is good for bedtime dosing. This medicine lasts 6-8 hours, so your child may need 2 or 3 doses in a 24 hour period to adequately control symptoms. A small percentage of children can become hyper, rather than sleepy, when they take diphenhydramine. If this happens, you will know NOT to give a dose at bedtime.

Cetirizine (brand name eg. Zyrtec, Aller-tec): This safe allergy medicine has been approved for kids this age for many years. The advantage is that it can be dosed once daily. It does not cause as much drowsiness as diphenhydramine. Just in case their kids feel a little sleepy on it, many parents will give the dose at bedtime. For children aged 2-5 years, the commonly recommended dose is between 2.5 and 5mg, but may change depending on other medical problems your child might have, so check with your child's pediatrician for proper dosing. For this age, the medicine comes as a liquid and as a chewable tablet.

Loratadine (brand name eg. Claritin, Alavert): Similar to cetirizine, loratadine is less sedating than diphenhydramine and also less likely to sedate than cetirizine. The dose commonly recommended for this age group is 5mg once daily, but check the dose with your child's pediatrician because the dose may change with certain health conditions, such as kidney or liver problems. Kids usually take the liquid or dissolve-on-the-tongue form. The tablet form technically can be cut in half and chewed, but tastes like cardboard.

While allergy nasal sprays and allergy eye drops work very well for allergies (see our prior post on the best allergy medicine for kids), Parents often end up wresting their kids

in order to administer the drops.

Of course, you can also try to “wash the outside off” once your allergic kid comes inside. This means washing hands and face with soap and water, and perhaps even changing shirts. Or you can do what our photographer did with her little one – a dunk in the sink.

Julie Kardos, MD and Naline Lai, MD

©2017 Two Peds in a Pod®